

Local Distributor in Israel

**LANIR-TEC**

www.lanir-tec.com Since 2004



Model	Sensitivity	Entry Style	Entry Type	Mount	Part Number	Description
HS100	XXX	Top	Fire Retardant	XX	HS100XXX08XX	HS100 General Purpose Series Accelerometer: XXXmV/g, Top Exit,5m Integral Fire Retardant Screened Cable, XX Mount
HS100	XXX	Top	Over Braid ETFE	XX	HS100XXX02XX	HS100 General Purpose Series Accelerometer: XXXmV/g, Top Exit, 5m Integral Stainless Steel Over Braid ETFE Screened Cable, XX Mount
HS100	XXX	Top	Silicon	XX	HS100XXX07XX	HS100 General Purpose Series Accelerometer: XXXmV/g, Top Exit,5m Integral Silicon Screened Cable, XX Mount
HS100	XXX	Top	PUR	XX	HS100XXX01XX	HS100 General Purpose Series Accelerometer: XXXmV/g, Top Exit, 5m Integral PUR (Water and Oil Resistant) Screened Cable, XX Mount
HS100	XXX	Top	MS Connector	XX	HS100XXX50XX	HS100 General Purpose Series Accelerometer: XXXmV/g, Top Exit,2 Pin MS Connector, XX Mount
HS100	XXX	Top	M12 Connector	XX	HS100XXX54XX	HS100 General Purpose Series Accelerometer: XXXmV/g, Top Exit,M12 Connector, XX Mount
HS100	XXX	Side	PUR	XX	HS100SXXX01XX	HS100 General Purpose Series Accelerometer: XXXmV/g, Side Exit, Integral PUR (Water and Oil Resistant) Cable, XX Mount
HS100	XXX	Side	Over Braid ETFE	XX	HS100SXXX02XX	HS100 General Purpose Series Accelerometer: XXXmV/g, Side Exit, Integral Stainless Steel Over Braid ETFE Cable, XX Mount
HS100	XXX	Side	Silicon	XX	HS100SXXX07XX	HS100 General Purpose Series Accelerometer: XXXmV/g, Side Exit,Integral Silicon Cable, XX Mount
HS100	XXX	Side	Fire Retardant	XX	HS100SXXX08XX	HS100 General Purpose Series Accelerometer: XXXmV/g, Side Exit,Integral Fire Retardant Cable, XX Mount
HS100	XXX	Side	MS Connector	XX	HS100SXXX50XX	HS100 General Purpose Series Accelerometer: XXXmV/g, Side Exit,2 Pin MS Connector, XX Mount
HS100	XXX	Side	M12 Connector	XX	HS100SXXX54XX	HS100 General Purpose Series Accelerometer: XXXmV/g, Side Exit,M12 Connector, XX Mount
HS100F	XXX	Top	PUR	XX	HS100FXXX01XX	HS-100F Series Accelerometer: XXXmV/g, Top Exit, 5m Integral PUR (Water and Oil Resistant) Screened Cable, XX Mount
HS100F	XXX	Top	Over Braid ETFE	XX	HS100FXXX02XX	HS-100F Series Accelerometer: XXXmV/g, Top Exit, 5m Integral Stainless Steel Over Braid ETFE Screened Cable, XX Mount
HS100F	XXX	Top	Silicon	XX	HS100FXXX07XX	HS-100F Series Accelerometer: XXXmV/g, Top Exit,5m Integral Silicon Screened Cable, XX Mount
HS100F	XXX	Top	Fire Retardant	XX	HS100FXXX08XX	HS-100F Series Accelerometer: XXXmV/g, Top Exit,5m Integral Fire Retardant Screened Cable, XX Mount
HS100F	XXX	Top	MS Connector	XX	HS100FXXX50XX	HS-100F Series Accelerometer: XXXmV/g, Top Exit,2 Pin MS Connector, XX Mount
HS100F	XXX	Top	M12 Connector	XX	HS100FXXX54XX	HS-100F Series Accelerometer: XXXmV/g, Top Exit,M12 Connector, XX Mount

HS100F	XXX	Side	PUR	XX	HS100SFXXX01XX	HS100SF General Purpose Series Accelerometer: XXXmV/g, Side Exit, Integral PUR (Water and Oil Resistant) Cable, XX Mount
HS100F	XXX	Side	Over Braid ETFE	XX	HS100SFXXX02XX	HS100SF General Purpose Series Accelerometer: XXXmV/g, Side Exit, Integral Stainless Steel Over Braid ETFE Cable, XX Mount
HS100F	XXX	Side	Silicon	XX	HS100SFXXX07XX	HS100SF General Purpose Series Accelerometer: XXXmV/g, Side Exit, Integral Silicon Cable, XX Mount
HS100F	XXX	Side	Fire Retardant	XX	HS100SFXXX08XX	HS100SF General Purpose Series Accelerometer: XXXmV/g, Side Exit, Integral Fire Retardant Cable, XX Mount
HS100F	XXX	Side	MS Connector	XX	HS100SFXXX50XX	HS100SF General Purpose Series Accelerometer: XXXmV/g, Side Exit, 2 Pin MS Connector, XX Mount
HS100F	XXX	Side	M12 Connector	XX	HS100SFXXX54XX	HS100SF General Purpose Series Accelerometer: XXXmV/g, Side Exit, M12 Connector, XX Mount
HS100RT	XXX	Top	PUR	XX	HS100RTXXX01XX	HS100RT General Purpose Series Accelerometer with Temperature Output: XXXmV/g, RT100 Temperature, Top Exit, Integral PUR (Water and Oil Resistant) Cable, XX Mount
HS100RT	XXX	Top	M12 Connector	XX	HS100RTXXX54XX	HS100RT General Purpose Series Accelerometer with Temperature Output: XXXmV/g, RT100 Temperature, Top Exit, M12 Connector, XX Mount
HS100RT	XXX	Side	PUR	XX	HS100SRTXXX01XX	HS100SRT General Purpose Series Accelerometer with Temperature Output: XXXmV/g, RT100 Temperature, Side Exit, Integral PUR (Water and Oil Resistant) Cable, XX Mount
HS100RT	XXX	Side	M12 Connector	XX	HS100SRTXXX54XX	HS100SRT General Purpose Series Accelerometer with Temperature Output: XXXmV/g, RT100 Temperature, Side Exit, M12 Connector, XX Mount
HS100T	XXX	Top	PUR	XX	HS100TXXX01XX	HS100T General Purpose Series Accelerometer with Temperature Output: XXXmV/g, XXmV/°C, Top Exit, Integral PUR (Water and Oil Resistant) Cable, XX Mount
HS100T	XXX	Top	Over Braid ETFE	XX	HS100TXXX03XX	HS100T General Purpose Series Accelerometer with Temperature Output: XXXmV/g, XXmV/°C, Top Exit, Integral 3 Core Stainless Steel Over Braid ETFE Cable, XX Mount
HS100T	XXX	Top	Silicon	XX	HS100TXXX07XX	HS100T General Purpose Series Accelerometer with Temperature Output: XXXmV/g, XXmV/°C, Top Exit, Integral Blue Silicon Cable, XX Mount
HS100T	XXX	Top	MS Connector	XX	HS100TXXX52XX	HS100T General Purpose Series Accelerometer with Temperature Output: XXXmV/g, XXmV/°C, Top Exit, 3 Pin MS Connector, XX Mount
HS100T	XXX	Top	M12 Connector	XX	HS100TXXX54XX	HS100T General Purpose Series Accelerometer with Temperature Output: XXXmV/g, XXmV/°C, Top Exit, M12 Connector, XX Mount
HS100T	XXX	Side	PUR	XX	HS100STXXX01XX	HS100ST General Purpose Series Accelerometer with Temperature Output: XXXmV/g, XXmV/°C, Side Exit, Integral PUR (Water and Oil Resistant) Cable, XX Mount
HS100T	XXX	Side	Over Braid ETFE	XX	HS100STXXX03XX	HS100ST General Purpose Series Accelerometer with Temperature Output: XXXmV/g, XXmV/°C, Side Exit, Integral 3 Core Stainless Steel Over Braid ETFE Cable, XX Mount
HS100T	XXX	Side	Silicon	XX	HS100STXXX07XX	HS100ST General Purpose Series Accelerometer with Temperature Output: XXXmV/g, XXmV/°C, Side Exit, Integral Blue Silicon Cable, XX Mount
HS100T	XXX	Side	MS Connector	XX	HS100STXXX52XX	HS100ST General Purpose Series Accelerometer with Temperature Output: XXXmV/g, XXmV/°C, Side Exit, 3 Pin MS Connector, XX Mount
HS100T	XXX	Side	M12 Connector	XX	HS100STXXX54XX	HS100ST General Purpose Series Accelerometer with Temperature Output: XXXmV/g, XXmV/°C, Side Exit, M12 Connector, XX Mount
HS1001 ATEX	XXX	Top	PUR	XX	HS1001XXX01XX	ATEX Group II, Industrial Accelerometer: XXXmV/g, Top Exit, Integral PUR (Water and Oil Resistant) Cable, XX Mount

HS100I ATEX	XXX	Top	Over Braid ETFE	XX	HS100IXXX02XX	ATEX Group II, Industrial Accelerometer: XXXmV/g, Top Exit, Integral Stainless Steel Over Braid ETFE Cable, XX Mount
HS100I ATEX	XXX	Top	Silicon	XX	HS100IXXX07XX	ATEX Group II, Industrial Accelerometer: XXXmV/g, Top Exit,Integral Silicon Cable, XX Mount
HS100I ATEX	XXX	Top	Fire Retardent	XX	HS100IXXX08XX	ATEX Group II, Industrial Accelerometer: XXXmV/g, Top Exit,Integral Fire Retardant Cable, XX Mount
HS100I ATEX	XXX	Top	MS Connector	XX	HS100IXXX50XX	ATEX Group II, Industrial Accelerometer: XXXmV/g, Top Exit,2 Pin MS Connector, XX Mount
HS100I ATEX	XXX	Top	M12 Connector	XX	HS100IXXX54XX	ATEX Group II, Industrial Accelerometer: XXXmV/g, Top Exit,M12 Connector, XX Mount
HS100I ATEX	XXX	Side	PUR	XX	HS100ISXXX01XX	ATEX Group II, Industrial Accelerometer: XXXmV/g, Side Exit, Integral PUR (Water and Oil Resistant) Cable, XX Mount
HS100I ATEX	XXX	Side	Over Braid ETFE	XX	HS100ISXXX02XX	ATEX Group II, Industrial Accelerometer: XXXmV/g, Side Exit, Integral Stainless Steel Over Braid ETFE Cable, XX Mount
HS100I ATEX	XXX	Side	Silicon	XX	HS100ISXXX07XX	ATEX Group II, Industrial Accelerometer: XXXmV/g, Side Exit,Integral Silicon Cable, XX Mount
HS100I ATEX	XXX	Side	Fire Retardent	XX	HS100ISXXX08XX	ATEX Group II, Industrial Accelerometer: XXXmV/g, Side Exit,Integral Fire Retardant Cable, XX Mount
HS100I ATEX	XXX	Side	MS Connector	XX	HS100ISXXX50XX	ATEX Group II, Industrial Accelerometer: XXXmV/g, Side Exit,2 Pin MS Connector, XX Mount
HS100I ATEX	XXX	Side	M12 Connector	XX	HS100ISXXX54XX	ATEX Group II, Industrial Accelerometer: XXXmV/g, Side Exit,M12 Connector, XX Mount
HS100M ATEX	XXX	Top	PUR	XX	HS100MXXX01XX	ATEX Group I, Industrial Accelerometer: XXXmV/g, Top Exit, Integral PUR (Water and Oil Resistant) Cable, XX Mount
HS100M ATEX	XXX	Top	Over Braid ETFE	XX	HS100MXXX02XX	ATEX Group I, Industrial Accelerometer: XXXmV/g, Top Exit, Integral Stainless Steel Over Braid ETFE Cable, XX Mount
HS100M ATEX	XXX	Top	Silicon	XX	HS100MXXX07XX	ATEX Group I, Industrial Accelerometer: XXXmV/g, Top Exit,Integral Silicon Cable, XX Mount
HS100M ATEX	XXX	Top	Fire Retardent	XX	HS100MXXX08XX	ATEX Group I, Industrial Accelerometer: XXXmV/g, Top Exit,Integral Fire Retardant Cable, XX Mount
HS100M ATEX	XXX	Top	MS Connector	XX	HS100MXXX50XX	ATEX Group I, Industrial Accelerometer: XXXmV/g, Top Exit,2 Pin MS Connector, XX Mount
HS100M ATEX	XXX	Top	M12 Connector	XX	HS100MXXX54XX	ATEX Group I, Industrial Accelerometer: XXXmV/g, Top Exit,M12 Connector, XX Mount
HS100M ATEX	XXX	Side	PUR	XX	HS100MSXXX01XX	ATEX Group I, Industrial Accelerometer: XXXmV/g, Side Exit, Integral PUR (Water and Oil Resistant) Cable, XX Mount
HS100M ATEX	XXX	Side	Over Braid ETFE	XX	HS100MSXXX02XX	ATEX Group I, Industrial Accelerometer: XXXmV/g, Side Exit, Integral Stainless Steel Over Braid ETFE Cable, XX Mount
HS100M ATEX	XXX	Side	Silicon	XX	HS100MSXXX07XX	ATEX Group I, Industrial Accelerometer: XXXmV/g, Side Exit,Integral Silicon Cable, XX Mount
HS100M ATEX	XXX	Side	Fire Retardent	XX	HS100MSXXX08XX	ATEX Group I, Industrial Accelerometer: XXXmV/g, Side Exit,Integral Fire Retardant Cable, XX Mount

HS100M ATEX	XXX	Side	MS Connector	XX	HS100MSXXX50XX	ATEX Group I, Industrial Accelerometer: XXXmV/g, Side Exit,2 Pin MS Connector, XX Mount
HS100M ATEX	XXX	Side	M12 Connector	XX	HS100MSXXX54XX	ATEX Group I, Industrial Accelerometer: XXXmV/g, Side Exit,M12 Connector, XX Mount
HS-100- 30C	XXX	Top	SS Conduit FEP	XX	HS100XXX30CXX	HS100 General Purpose Series Accelerometer: XXXmV/g, Top Exit, 5m Integral 2 Core Screened FEP Cable with Stainless Steel Conduit, XX Mount
HS-100- 30C	XXX	Side	SS Conduit FEP	XX	HS100SXXX30CXX	HS100 General Purpose Series Accelerometer: XXXmV/g, Side Exit, 5m Integral 2 Core Screened FEP Cable with Stainless Steel Conduit, XX Mount
HS102	XXX	Top	TNC Connector	XX	HS102XXX55XX	HS102 Series General Purpose Accelerometer: XXXmV/g, Top Exit,TNC Connector, XX Mount
HS104	XXX	Top	PUR	XX	HS104XXX01XX	HS104 Series Low Voltage Accelerometer: XXXmV/g, Top Exit, Integral PUR (Water and Oil Resistant) Cable, XX Mount
HS104	XXX	Top	Over Braid ETFE	XX	HS104XXX03XX	HS104 Series Low Voltage Accelerometer: XXXmV/g, Top Exit, Integral Stainless Steel Over Braid ETFE Cable, XX Mount
HS104	XXX	Top	MS Connector	XX	HS104XXX52XX	HS104 Series Low Voltage Accelerometer: XXXmV/g, Top Exit,3 Pin MS Connector, XX Mount
HS104	XXX	Top	M12 Connector	XX	HS104XXX54XX	HS104 Series Low Voltage Accelerometer: XXXmV/g, Top Exit,M12 Connector, XX Mount
HS105	XXX	Top	External Charge Amp	XX	HS105XXX04XX	HS105 Series High Temperature External Charge Amplifier: XXXmV/g, Top Exit,Single Core, Low Noise FEP Rated to 150°C ETFE Cable, XX Mount
HS105	XXX	Side	External Charge Amp	XX	HS105SXXX04XX	HS105 Series High Temperature External Charge Amplifier: XXXmV/g, Side Exit,Single Core, Low Noise FEP Rated to 150°C ETFE Cable, XX Mount
HS105 ATEX	XXX	Top	External Charge Amp	XX	HS105IXXX05XX	HS105 Series Intrinsically Safe Group II High Temperature External Charge Amplifier: XXXmV/g, Top Exit,Single Core, Low Noise FEP Rated to 250°C ETFE Cable, XX Mount
HS105 ATEX	XXX	Side	External Charge Amp	XX	HS105ISXXX05XX	HS105 Series Intrinsically Safe Group II High Temperature External Charge Amplifier: XXXmV/g, Side Exit,Single Core, Low Noise FEP Rated to 250°C ETFE Cable, XX Mount
HS130	XXX	Top	Fire Retardent	XX	HS130XXX08XX	HS130 Series Light Weight and Small Foot Print Accelerometer: XXXmV/g, Top Exit,Integral Fire Retardant Cable, XX Mount
HS130	XXX	Top	Over Braid ETFE	XX	HS130XXX02XX	HS130 Series Light Weight and Small Foot Print Accelerometer: XXXmV/g, Top Exit,5m Integral Stainless Steel Over Braid ETFE (Water Resistant) Screened Cable, XX Mount
HS130	XXX	Top	M8 Connector	XX	HS130XXX58XX	HS130 Series Light Weight and Small Foot Print Accelerometer: XXXmV/g, Top Exit,M8 Connector, XX Mount
HS150	XXX	Top	PUR	XX	HS150XXX01XX	HS150 Premium Series Accelerometer: XXXmV/g, Top Exit, Integral PUR (Water and Oil Resistant) Cable, XX Mount
HS150	XXX	Top	Over Braid ETFE	XX	HS150XXX02XX	HS150 Series Premium Series Accelerometer: XXXmV/g, Top Exit, 5m Integral Stainless Steel Over Braid ETFE Screened Cable, XX Mount
HS150	XXX	Top	Silicon	XX	HS150XXX07XX	HS150 Premium Series Accelerometer: XXXmV/g, Top Exit,Integral Silicon Cable, XX Mount
HS150	XXX	Top	Fire Retardent	XX	HS150XXX08XX	HS150 Series Premium Series Accelerometer: XXXmV/g, Top Exit,5m Integral Fire Retardant Screened Cable, XX Mount
HS150	XXX	Top	MS Connector	XX	HS150XXX50XX	HS150 Series Premium Series Accelerometer: XXXmV/g, Top Exit,2 Pin MS Connector, XX Mount

HS150	XXX	Top	M12 Connector	XX	HS150XXX54XX	HS150 Series Premium Series Accelerometer: XXXmV/g, Top Exit,M12 Connector, XX Mount
HS150	XXX	Side	PUR	XX	HS150SXXX01XX	HS150S Premium Series Accelerometer: XXXmV/g, Side Exit, Integral PUR (Water and Oil Resistant) Cable, XX Mount
HS150	XXX	Side	Over Braid ETFE	XX	HS150SXXX02XX	HS150S Premium Series Accelerometer: XXXmV/g, Side Exit, Integral Stainless Steel Over Braid ETFE Cable, XX Mount
HS150	XXX	Side	Silicon	XX	HS150SXXX07XX	HS150S Premium Series Accelerometer: XXXmV/g, Side Exit,Integral Silicon Cable, XX Mount
HS150	XXX	Side	Fire Retardent	XX	HS150SXXX08XX	HS150S Premium Series Accelerometer: XXXmV/g, Side Exit,Integral Fire Retardant Cable, XX Mount
HS150	XXX	Side	MS Connector	XX	HS150SXXX50XX	HS150S Premium Series Accelerometer: XXXmV/g, Side Exit,2 Pin MS Connector, XX Mount
HS150	XXX	Side	M12 Connector	XX	HS150SXXX54XX	HS150S Premium Series Accelerometer: XXXmV/g, Side Exit,M12 Connector, XX Mount
HS150F	XXX	Top	PUR	XX	HS150FXXX01XX	HS-150F Series Accelerometer: XXXmV/g, Top Exit, 5m Integral PUR (Water and Oil Resistant) Screened Cable, XX Mount
HS150F	XXX	Top	Over Braid ETFE	XX	HS150FXXX02XX	HS-150F Series Accelerometer: XXXmV/g, Top Exit, 5m Integral Stainless Steel Over Braid ETFE Screened Cable, XX Mount
HS150F	XXX	Top	Silicon	XX	HS150FXXX07XX	HS-150F Series Accelerometer: XXXmV/g, Top Exit,5m Integral Silicon Screened Cable, XX Mount
HS150F	XXX	Top	Fire Retardent	XX	HS150FXXX08XX	HS-150F Series Accelerometer: XXXmV/g, Top Exit,5m Integral Fire Retardant Screened Cable, XX Mount
HS150F	XXX	Top	MS Connector	XX	HS150FXXX50XX	HS-150F Series Accelerometer: XXXmV/g, Top Exit,2 Pin MS Connector, XX Mount
HS150F	XXX	Top	M12 Connector	XX	HS150FXXX54XX	HS-150F Series Accelerometer: XXXmV/g, Top Exit,M12 Connector, XX Mount
HS150F	XXX	Side	PUR	XX	HS150SFXXX01XX	HS150SF Premium Series Accelerometer: XXXmV/g, Side Exit, Integral PUR (Water and Oil Resistant) Cable, XX Mount
HS150F	XXX	Side	Over Braid ETFE	XX	HS150SFXXX02XX	HS150SF Premium Series Accelerometer: XXXmV/g, Side Exit, Integral Stainless Steel Over Braid ETFE Cable, XX Mount
HS150F	XXX	Side	Silicon	XX	HS150SFXXX07XX	HS150SF Premium Series Accelerometer: XXXmV/g, Side Exit,Integral Silicon Cable, XX Mount
HS150F	XXX	Side	Fire Retardent	XX	HS150SFXXX08XX	HS150SF Premium Series Accelerometer: XXXmV/g, Side Exit,Integral Fire Retardant Cable, XX Mount
HS150F	XXX	Side	MS Connector	XX	HS150SFXXX50XX	HS150SF Premium Series Accelerometer: XXXmV/g, Side Exit,2 Pin MS Connector, XX Mount
HS150F	XXX	Side	M12 Connector	XX	HS150SFXXX54XX	HS150SF Premium Series Accelerometer: XXXmV/g, Side Exit,M12 Connector, XX Mount
HS150RT	XXX	Top	PUR	XX	HS150RTXXX01XX	HS150RT Premium Series Accelerometer with Temperature Output: XXXmV/g, RT100 Temperature, Top Exit, Integral PUR (Water and Oil Resistant) Cable, XX Mount
HS150RT	XXX	Top	M12 Connector	XX	HS150RTXXX54XX	HS150RT Premium Series Accelerometer with Temperature Output: XXXmV/g, RT100 Temperature, Top Exit,M12 Connector, XX Mount

HS150RT	XXX	Side	PUR	XX	HS150SRTXXX01XX	HS150SRT Premium Series Accelerometer with Temperature Output: XXXmV/g, RT100 Temperature, Side Exit, Integral PUR (Water and Oil Resistant) Cable, XX Mount
HS150RT	XXX	Side	M12 Connector	XX	HS150SRTXXX54XX	HS150SRT Premium Series Accelerometer with Temperature Output: XXXmV/g, RT100 Temperature, Side Exit, M12 Connector, XX Mount
HS150T	XXX	Top	PUR	XX	HS150TXXX01XX	HS150T Premium Series Accelerometer with Temperature Output: XXXmV/g, XXmV/°C, Top Exit, Integral PUR (Water and Oil Resistant) Cable, XX Mount
HS150T	XXX	Top	Over Braid ETFE	XX	HS150TXXX03XX	HS150T Premium Series Accelerometer with Temperature Output: XXXmV/g, XXmV/°C, Top Exit, Integral 3 Core Stainless Steel Over Braid ETFE Cable, XX Mount
HS150T	XXX	Top	Silicon	XX	HS150TXXX07XX	HS150T Premium Series Accelerometer with Temperature Output: XXXmV/g, XXmV/°C, Top Exit, Integral Blue Silicon Cable, XX Mount
HS150T	XXX	Top	MS Connector	XX	HS150TXXX52XX	HS150T Premium Series Accelerometer with Temperature Output: XXXmV/g, XXmV/°C, Top Exit, 3 Pin MS Connector, XX Mount
HS150T	XXX	Top	M12 Connector	XX	HS150TXXX54XX	HS150T Premium Series Accelerometer with Temperature Output: XXXmV/g, XXmV/°C, Top Exit, M12 Connector, XX Mount
HS150T	XXX	Side	PUR	XX	HS150STXXX01XX	HS150ST Premium Series Accelerometer with Temperature Output: XXXmV/g, XXmV/°C, Side Exit, Integral PUR (Water and Oil Resistant) Cable, XX Mount
HS150T	XXX	Side	Over Braid ETFE	XX	HS150STXXX03XX	HS150ST Premium Series Accelerometer with Temperature Output: XXXmV/g, XXmV/°C, Side Exit, Integral 3 Core Stainless Steel Over Braid ETFE Cable, XX Mount
HS150T	XXX	Side	Silicon	XX	HS150STXXX07XX	HS150ST Premium Series Accelerometer with Temperature Output: XXXmV/g, XXmV/°C, Side Exit, Integral Blue Silicon Cable, XX Mount
HS150T	XXX	Side	MS Connector	XX	HS150STXXX52XX	HS150ST Premium Series Accelerometer with Temperature Output: XXXmV/g, XXmV/°C, Side Exit, 3 Pin MS Connector, XX Mount
HS150T	XXX	Side	M12 Connector	XX	HS150STXXX54XX	HS150ST Premium Series Accelerometer with Temperature Output: XXXmV/g, XXmV/°C, Side Exit, M12 Connector, XX Mount
HS-150-30C	XXX	Top	SS Conduit FEP	XX	HS150XXX30CXX	HS150 Premium Series Accelerometer: XXXmV/g, Top Exit, 5m Integral 2 Core Screened FEP Cable with Stainless Steel Conduit, XX Mount
HS-150-30C	XXX	Side	SS Conduit FEP	XX	HS150SXXX30CXX	HS150S Premium Series Accelerometer: XXXmV/g, Side Exit, 5m Integral 2 Core Screened FEP Cable with Stainless Steel Conduit, XX Mount
HS160 Vel	4mV/mm/Sec (100mV/ips)	Top	PUR	XX	HS16010001XX	HS160 Velocity Sensor: 4mV/mm/Sec (100mV/ips), Top Exit, Integral PUR (Water and Oil Resistant) Cable, XX Mount
HS160 Vel	4mV/mm/Sec (100mV/ips)	Top	Over Braid ETFE	XX	HS16010002XX	HS160 Velocity Sensor: 4mV/mm/Sec (100mV/ips), Top Exit, Integral Stainless Steel Over Braid ETFE Cable, XX Mount
HS160 Vel	4mV/mm/Sec (100mV/ips)	Top	Silicon	XX	HS16010007XX	HS160 Velocity Sensor: 4mV/mm/Sec (100mV/ips), Top Exit, Integral Silicon Cable, XX Mount
HS160 Vel	4mV/mm/Sec (100mV/ips)	Top	Fire Retardant	XX	HS16010008XX	HS160 Velocity Sensor: 4mV/mm/Sec (100mV/ips), Top Exit, Integral Fire Retardant Cable, XX Mount
HS160 Vel	4mV/mm/Sec (100mV/ips)	Top	MS Connector	XX	HS16010050XX	HS160 Velocity Sensor: 4mV/mm/Sec (100mV/ips), Top Exit, 2 Pin MS Connector, XX Mount
HS160 Vel	4mV/mm/Sec (100mV/ips)	Top	M12 Connector	XX	HS16010054XX	HS160 Velocity Sensor: 4mV/mm/Sec (100mV/ips), Top Exit, M12 Connector, XX Mount
HS160 Vel	4mV/mm/Sec (100mV/ips)	Side	PUR	XX	HS160S10001XX	HS160 Velocity Sensor: 4mV/mm/Sec (100mV/ips), Side Exit, Integral PUR (Water and Oil Resistant) Cable, XX Mount

HS160 Vel	4mV/mm/Sec (100mV/ips)	Side	Over Braid ETFE	XX	HS160SXXX0202	HS160 Velocity Sensor: 4mV/mm/Sec (100mV/ips), Side Exit, Integral Stainless Steel Over Braid ETFE Cable, XX Mount
HS160 Vel	4mV/mm/Sec (100mV/ips)	Side	Silicon	XX	HS160S10007XX	HS160 Velocity Sensor: 4mV/mm/Sec (100mV/ips), Side Exit, Integral Silicon Cable, XX Mount
HS160 Vel	4mV/mm/Sec (100mV/ips)	Side	Fire Retardant	XX	HS160S10008XX	HS160 Velocity Sensor: 4mV/mm/Sec (100mV/ips), Side Exit, Integral Fire Retardant Cable, XX Mount
HS160 Vel	4mV/mm/Sec (100mV/ips)	Side	MS Connector	XX	HS160S10050XX	HS160 Velocity Sensor: 4mV/mm/Sec (100mV/ips), Side Exit, 2 Pin MS Connector, XX Mount
HS160 Vel	4mV/mm/Sec (100mV/ips)	Side	M12 Connector	XX	HS160S10054XX	HS160 Velocity Sensor: 4mV/mm/Sec (100mV/ips), Side Exit, M12 Connector, XX Mount
HS160T Vel	4mV/mm/Sec (100mV/ips)	Top	PUR	XX	HS160T10001XX	HS160 Velocity Sensor with Temperature Output: 4mV/mm/Sec (100mV/ips), 10mV/°C, Top Exit, Integral PUR (Water and Oil Resistant) Cable, XX Mount
HS160T Vel	4mV/mm/Sec (100mV/ips)	Top	Over Braid ETFE	XX	HS160T10003XX	HS160 Velocity Sensor with Temperature Output: 4mV/mm/Sec (100mV/ips), 10mV/°C, Top Exit, Integral Stainless Steel Over Braid ETFE Cable, XX Mount
HS160T Vel	4mV/mm/Sec (100mV/ips)	Top	Silicon	XX	HS160T10007XX	HS160 Velocity Sensor with Temperature Output: 4mV/mm/Sec (100mV/ips), 10mV/°C, Top Exit, Integral Silicon Cable, XX Mount
HS160T Vel	4mV/mm/Sec (100mV/ips)	Top	Fire Retardant	XX	HS160T10008XX	HS160 Velocity Sensor with Temperature Output: 4mV/mm/Sec (100mV/ips), 10mV/°C, Top Exit, Integral Fire Retardant Cable, XX Mount
HS160T Vel	4mV/mm/Sec (100mV/ips)	Top	MS Connector	XX	HS160T10052XX	HS160 Velocity Sensor with Temperature Output: 4mV/mm/Sec (100mV/ips), 10mV/°C, Top Exit, 2 Pin MS Connector, XX Mount
HS160T Vel	4mV/mm/Sec (100mV/ips)	Top	M12 Connector	XX	HS160T10054XX	HS160 Velocity Sensor with Temperature Output: 4mV/mm/Sec (100mV/ips), 10mV/°C, Top Exit, M12 Connector, XX Mount
HS160T Vel	4mV/mm/Sec (100mV/ips)	Side	PUR	XX	HS160ST10001XX	HS160 Velocity Sensor with Temperature Output: 4mV/mm/Sec (100mV/ips), 10mV/°C, Side Exit, Integral PUR (Water and Oil Resistant) Cable, XX Mount
HS160T Vel	4mV/mm/Sec (100mV/ips)	Side	Over Braid ETFE	XX	HS160ST10003XX	HS160 Velocity Sensor with Temperature Output: 4mV/mm/Sec (100mV/ips), 10mV/°C, Side Exit, Integral Stainless Steel Over Braid ETFE Cable, XX Mount
HS160T Vel	4mV/mm/Sec (100mV/ips)	Side	Silicon	XX	HS160ST10007XX	HS160 Velocity Sensor with Temperature Output: 4mV/mm/Sec (100mV/ips), 10mV/°C, Side Exit, Integral Silicon Cable, XX Mount
HS160T Vel	4mV/mm/Sec (100mV/ips)	Side	Fire Retardant	XX	HS160ST10008XX	HS160 Velocity Sensor with Temperature Output: 4mV/mm/Sec (100mV/ips), 10mV/°C, Side Exit, Integral Fire Retardant Cable, XX Mount
HS160T Vel	4mV/mm/Sec (100mV/ips)	Side	MS Connector	XX	HS160ST10052XX	HS160 Velocity Sensor with Temperature Output: 4mV/mm/Sec (100mV/ips), 10mV/°C, Side Exit, 2 Pin MS Connector, XX Mount
HS160T Vel	4mV/mm/Sec (100mV/ips)	Side	M12 Connector	XX	HS160ST10054XX	HS160 Velocity Sensor with Temperature Output: 4mV/mm/Sec (100mV/ips), 10mV/°C, Side Exit, M12 Connector, XX Mount
HS170	XXX	Top	Over Braid ETFE	XX	HS170XXX02XX	HS170 Series Premium Series Accelerometer: XXXmV/g, Top Exit, 5m Integral Stainless Steel Over Braid ETFE Screened Cable, XX Mount
HS170	XXX	Top	Fire Retardant	XX	HS170XXX08XX	HS170 Series Premium Series Accelerometer: XXXmV/g, Top Exit, 5m Integral Fire Retardant Screened Cable, XX Mount
HS170	XXX	Top	MS Connector	XX	HS170XXX50XX	HS170 Series Premium Series Accelerometer: XXXmV/g, Top Exit, 2 Pin MS Connector, XX Mount
HS170	XXX	Top	M12 Connector	XX	HS170XXX54XX	HS170 Series Premium Series Accelerometer: XXXmV/g, Top Exit, M12 Connector, XX Mount

HS170	XXX	Side	PUR	XX	HS170SXXX01XX	HS170S Premium Series Accelerometer: XXXmV/g, Side Exit, Integral PUR (Water and Oil Resistant) Cable, XX Mount
HS170	XXX	Side	Over Braid ETFE	XX	HS170SXXX02XX	HS170S Premium Series Accelerometer: XXXmV/g, Side Exit, Integral Stainless Steel Over Braid ETFE Cable, XX Mount
HS170	XXX	Side	Silicon	XX	HS170SXXX07XX	HS170S Premium Series Accelerometer: XXXmV/g, Side Exit,Integral Silicon Cable, XX Mount
HS170	XXX	Side	Fire Retardant	XX	HS170SXXX08XX	HS170S Premium Series Accelerometer: XXXmV/g, Side Exit,Integral Fire Retardant Cable, XX Mount
HS170	XXX	Side	MS Connector	XX	HS170SXXX50XX	HS170S Premium Series Accelerometer: XXXmV/g, Side Exit,2 Pin MS Connector, XX Mount
HS170	XXX	Side	M12 Connector	XX	HS170SXXX54XX	HS170S Premium Series Accelerometer: XXXmV/g, Side Exit,M12 Connector, XX Mount
HS170ST	XXX	Side	PUR	XX	HS170STXXX01XX	HS170ST Premium Series Accelerometer with Temperature Output: XXXmV/g, XXmV/°C, Side Exit, Integral PUR (Water and Oil Resistant) Cable, XX Mount
HS170ST	XXX	Side	Over Braid ETFE	XX	HS170STXXX03XX	HS170ST Premium Series Accelerometer with Temperature Output: XXXmV/g, XXmV/°C, Side Exit, Integral 3 Core Stainless Steel Over Braid ETFE Cable, XX Mount
HS170ST	XXX	Side	Silicon	XX	HS170STXXX07XX	HS170ST Premium Series Accelerometer with Temperature Output: XXXmV/g, XXmV/°C, Side Exit,Integral Blue Silicon Cable, XX Mount
HS170ST	XXX	Side	MS Connector	XX	HS170STXXX52XX	HS170ST Premium Series Accelerometer with Temperature Output: XXXmV/g, XXmV/°C, Side Exit,3 Pin MS Connector, XX Mount
HS170ST	XXX	Side	M12 Connector	XX	HS170STXXX54XX	HS170ST Premium Series Accelerometer with Temperature Output: XXXmV/g, XXmV/°C, Side Exit,M12 Connector, XX Mount
HS172 Biaxial	XXX	Side	M12 Connector	XX	HS172XXX54XX	HS172 Series Biaxial Accelerometer XXXmV/g, Side Exit,M12 Connector, XX Mount
HS173 Triaxial	XXX	Side	M12 Connector	XX	HS173XXX54XX	HS173 Series Triaxial Accelerometer XXXmV/g, Side Exit,M12 Connector, XX Mount