



**TRANSMITTERS list 2018**

Model	Sensitivity	Entry Style	Entry Type	Mount	Part Number	Description
HS420	XXX	Top	PUR	XX	HS420XXX01XX	HS420 Series Velocity Transducer: 4-20mA proportional to 0-XXXmm/s RMS, Top Exit,
HS420	XXX	Top	Over Braid ETFE	XX	HS420XXX02XX	HS420 Series Velocity Transducer: 4-20mA proportional to 0-XXXmm/s RMS, Top Exit,
HS420	XXX	Top	Silicon	XX	HS420XXX07XX	HS420 Series Velocity Transducer: 4-20mA proportional to 0-XXXmm/s RMS, Top
HS420	XXX	Top	Fire Retardent	XX	HS420XXX08XX	HS420 Series Velocity Transducer: 4-20mA proportional to 0-XXXmm/s RMS, Top
HS420	XXX	Top	MS Connector	XX	HS420XXX50XX	HS420 Series Velocity Transducer: 4-20mA proportional to 0-XXXmm/s RMS, Top Exit,2
HS420	XXX	Top	M12 Connector	XX	HS420XXX54XX	HS420 Series Velocity Transducer: 4-20mA proportional to 0-XXXmm/s RMS, Top Exit,
HS420	XXX	Side	PUR	XX	HS420SXXX01XX	HS420 Series Velocity Transducer: 4-20mA proportional to 0-XXXmm/s RMS, Side Exit,
HS420	XXX	Side	Over Braid ETFE	XX	HS420SXXX02XX	HS420 Series Velocity Transducer: 4-20mA proportional to 0-XXXmm/s RMS, Side Exit,
HS420	XXX	Side	Silicon	XX	HS420SXXX07XX	HS420 Series Velocity Transducer: 4-20mA proportional to 0-XXXmm/s RMS, Side
HS420	XXX	Side	Fire Retardent	XX	HS420SXXX08XX	HS420 Series Velocity Transducer: 4-20mA proportional to 0-XXXmm/s RMS, Side
HS420	XXX	Side	MS Connector	XX	HS420SXXX50XX	HS420 Series Velocity Transducer: 4-20mA proportional to 0-XXXmm/s RMS, Side Exit,2
HS420	XXX	Side	M12 Connector	XX	HS420SXXX54XX	HS420 Series Velocity Transducer: 4-20mA proportional to 0-XXXmm/s RMS, Side Exit,
HS420 ATEX	XXX	Top	PUR	XX	HS420IXXX01XX	HS420 Intrinsically Safe Velocity Transducer (ATEX Group II, Class 1 Div 1, Class 1 Div II, see
HS420 ATEX	XXX	Top	Over Braid ETFE	XX	HS420IXXX02XX	HS420 Intrinsically Safe Velocity Transducer (ATEX Group II, Class 1 Div 1, Class 1 Div II, see
HS420 ATEX	XXX	Top	Silicon	XX	HS420IXXX07XX	HS420 Intrinsically Safe Velocity Transducer (ATEX Group II, Class 1 Div 1, Class 1 Div II, see
HS420 ATEX	XXX	Top	Fire Retardent	XX	HS420IXXX08XX	HS420 Intrinsically Safe Velocity Transducer (ATEX Group II, Class 1 Div 1, Class 1 Div II, see
HS420 ATEX	XXX	Top	MS Connector	XX	HS420IXXX50XX	HS420 Intrinsically Safe Velocity Transducer (ATEX Group II, Class 1 Div 1, Class 1 Div II, see
HS420IT ATEX	XXX	Top	M12 Connector	XX	HS420ITXXX54XX	HS420 Intrinsically Safe ATEX Group II Velocity Tranducer with Temperature: 4-20mA
HS420RT	XXX	Top	PUR	XX	HS420RTXXX01XX	HS420 Series Velocity Tranducer with Temperature: 4-20mA proportional to 0-
HS420RT	XXX	Top	M12 Connector	XX	HS420RTXXX54XX	HS420 Series Velocity Tranducer with Temperature: 4-20mA proportional to 0-
HS420RT	XXX	Side	PUR	XX	HS420SRTXXX01XX	HS420 Series Velocity Tranducer with Temperature: 4-20mA proportional to 0-
HS420RT	XXX	Side	M12 Connector	XX	HS420SRTXXX54XX	HS420 Series Velocity Tranducer with Temperature: 4-20mA proportional to 0-

HS420T	XXX	Top	PUR	XX	HS420TXXX01XX	HS420 Series Velocity Transducer with Temperature: 4-20mA proportional to 0-
HS420T	XXX	Top	M12 Connector	XX	HS420TXXX54XX	HS420 Series Velocity Transducer with Temperature: 4-20mA proportional to 0-
HS420T	XXX	Side	PUR	XX	HS420STXXX01XX	HS420 Series Velocity Transducer with Temperature: 4-20mA proportional to 0-
HS420T	XXX	Side	M12 Connector	XX	HS420STXXX54XX	HS420 Series Velocity Transducer with Temperature: 4-20mA proportional to 0-
HS421	XXX	Top	PUR	XX	HS421XXX01XX	HS421 Series Velocity Transducer: 4-20mA proportional to 0-XXXmm/s RMS, XXmV/g,
HS421	XXX	Top	Over Braid ETFE	XX	HS421XXX03XX	HS421 Series Velocity Transducer: 4-20mA proportional to 0-XXXmm/s RMS, XXmV/g,
HS421	XXX	Top	Silicon	XX	HS421XXX07XX	HS421 Series Velocity Transducer: 4-20mA proportional to 0-XXXmm/s RMS, XXmV/g,
HS421	XXX	Top	MS Connector	XX	HS421XXX52XX	HS421 Series Velocity Transducer: 4-20mA proportional to 0-XXXmm/s RMS, XXmV/g,
HS421	XXX	Top	M12 Connector	XX	HS421XXX54XX	HS421 Series Velocity Transducer: 4-20mA proportional to 0-XXXmm/s RMS, XXmV/g,
HS421	XXX	Side	PUR	XX	HS421SXXX01XX	HS421 Series Velocity Transducer: 4-20mA proportional to 0-XXXmm/s RMS, XXmV/g,
HS421	XXX	Side	Over Braid ETFE	XX	HS421SXXX03XX	HS421 Series Velocity Transducer: 4-20mA proportional to 0-XXXmm/s RMS, XXmV/g,
HS421	XXX	Side	Silicon	XX	HS421SXXX07XX	HS421 Series Velocity Transducer: 4-20mA proportional to 0-XXXmm/s RMS, XXmV/g,
HS421	XXX	Side	MS Connector	XX	HS421SXXX52XX	HS421 Series Velocity Transducer: 4-20mA proportional to 0-XXXmm/s RMS, XXmV/g,
HS421	XXX	Side	M12 Connector	XX	HS421SXXX54XX	HS421 Series Velocity Transducer: 4-20mA proportional to 0-XXXmm/s RMS, XXmV/g,
HS421T	XXX	Top	M12 Connector	XX	HS421TXXX53XX	HS421T Series Velocity Transducer: 4-20mA proportional to 0-XXXmm/s RMS, XXmV/g,
HS422	XXX	Top	PUR	XX	HS422XXX01XX	HS422 Series Velocity Transducer: 4-20mA proportional to 0-XXXg RMS, Top Exit, Integral
HS422	XXX	Top	Over Braid ETFE	XX	HS422XXX02XX	HS422 Series Velocity Transducer: 4-20mA proportional to 0-XXXg RMS, Top Exit, Integral
HS422	XXX	Top	Silicon	XX	HS422XXX07XX	HS422 Series Velocity Transducer: 4-20mA proportional to 0-XXXg RMS, Top Exit,Integral
HS422	XXX	Top	Fire Retardent	XX	HS422XXX08XX	HS422 Series Velocity Transducer: 4-20mA proportional to 0-XXXg RMS, Top Exit,Integral
HS422	XXX	Top	MS Connector	XX	HS422XXX50XX	HS422 Series Velocity Transducer: 4-20mA proportional to 0-XXXg RMS, Top Exit, 2 Pin
HS422	XXX	Top	M12 Connector	XX	HS422XXX54XX	HS422 Series Velocity Transducer: 4-20mA proportional to 0-XXXg RMS, Top Exit, M12
HS422	XXX	Side	PUR	XX	HS422SXXX01XX	HS422 Series Velocity Transducer: 4-20mA proportional to 0-XXXg RMS, Side Exit,
HS422	XXX	Side	Over Braid ETFE	XX	HS422SXXX02XX	HS422 Series Velocity Transducer: 4-20mA proportional to 0-XXXg RMS, Side Exit,
HS422	XXX	Side	Silicon	XX	HS422SXXX07XX	HS422 Series Velocity Transducer: 4-20mA proportional to 0-XXXg RMS, Side Exit,Integral
HS422	XXX	Side	Fire Retardent	XX	HS422SXXX08XX	HS422 Series Velocity Transducer: 4-20mA proportional to 0-XXXg RMS, Side Exit,Integral
HS422	XXX	Side	MS Connector	XX	HS422SXXX50XX	HS422 Series Velocity Transducer: 4-20mA proportional to 0-XXXg RMS, Side Exit, 2 Pin

HS422	XXX	Side	M12 Connector	XX	HS422SXXX54XX	HS422 Series Velocity Transducer: 4-20mA proportional to 0-XXXg RMS, Side Exit, M12
HS422 ATEX	XXX	Top	M12 Connector	XX	HS422IXXX54XX	HS422 Intrinsically Safe ATEX Group II Series Velocity Transducer: 4-20mA proportional to
HS422RT	XXX	Top	PUR	XX	HS422RTXXX01XX	HS422 Series Velocity Transducer with Temperature: 4-20mA proportional to 0-XXXg
HS422RT	XXX	Top	M12 Connector	XX	HS422RTXXX54XX	HS422 Series Velocity Transducer with Temperature: 4-20mA proportional to 0-XXXg
HS422RT	XXX	Side	PUR	XX	HS422SRTXXX01XX	HS422 Series Velocity Transducer with Temperature: 4-20mA proportional to 0-XXXg
HS422RT	XXX	Side	M12 Connector	XX	HS422SRTXXX54XX	HS422 Series Velocity Transducer with Temperature: 4-20mA proportional to 0-XXXg
HS422T	XXX	Top	PUR	XX	HS422TXXX01XX	HS422 Series Velocity Transducer with Temperature: 4-20mA proportional to 0-XXXg
HS422T	XXX	Top	M12 Connector	XX	HS422TXXX54XX	HS422 Series Velocity Transducer with Temperature: 4-20mA proportional to 0-XXXg
HS422T	XXX	Side	PUR	XX	HS422STXXX01XX	HS422 Series Velocity Transducer with Temperature: 4-20mA proportional to 0-XXXg
HS422T	XXX	Side	M12 Connector	XX	HS422STXXX54XX	HS422 Series Velocity Transducer with Temperature: 4-20mA proportional to 0-XXXg
HS423	XXX	Top	PUR	XX	HS423XXX01XX	HS423 Series Velocity Transducer: 4-20mA proportional to 0-XXXg RMS, XXmV/g, Top
HS423	XXX	Top	Over Braid ETFE	XX	HS423XXX03XX	HS423 Series Velocity Transducer: 4-20mA proportional to 0-XXXg RMS, XXmV/g, Top
HS423	XXX	Top	Silicon	XX	HS423XXX07XX	HS423 Series Velocity Transducer: 4-20mA proportional to 0-XXXg RMS, XXmV/g, Top
HS423	XXX	Top	M12 Connector	XX	HS423XXX54XX	HS423 Series Velocity Transducer: 4-20mA proportional to 0-XXXg RMS, XXmV/g, Top
HS423	XXX	Side	PUR	XX	HS423SXXX01XX	HS423 Series Velocity Transducer: 4-20mA proportional to 0-XXXg RMS, XXmV/g, Side
HS423	XXX	Side	Over Braid ETFE	XX	HS423SXXX02XX	HS423 Series Velocity Transducer: 4-20mA proportional to 0-XXXg RMS, XXmV/g, Side
HS423	XXX	Side	Silicon	XX	HS423SXXX07XX	HS423 Series Velocity Transducer: 4-20mA proportional to 0-XXXg RMS, XXmV/g, Side
HS423	XXX	Side	M12 Connector	XX	HS423SXXX54XX	HS423 Series Velocity Transducer: 4-20mA proportional to 0-XXXg RMS, XXmV/g, Side
HS423T	XXX	Top	M12 Connector	XX	HS423XXX53XX	HS423 Series Velocity Transducer: 4-20mA proportional to 0-XXXg RMS, XXmV/g, 10